Mail w/ 916

500

## STIC Biotechnology Systems Branch

## RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:	10/5/6,36/A
Source:	194110
Date Processed by STIC:	1/13/66
···	

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,

2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER</u> <u>VERSION 4.2.2 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom. Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm>, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
   U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street,
   Alexandria, VA 22314

Revised 01/24/05

## Raw Sequence Listing Error Summary

ERROR DETECTED	SUGGESTED CORRECTION SERIAL NUMBER: 10/5/6, 36/A
ATTN: NEW RULES CASES:	PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE
Wrapped Nucleics Wrapped Aminos	The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3; this will prevent "wrapping."
2Invalid Line Length	The rules require that a line not exceed 72 characters in length. This includes white spaces.
3Misaligned Amino Numbering	The numbering under each 5 <sup>th</sup> amino acid is misaligned. Do not use tab codes between numbers; use space characters, instead.
4 Non-ASCII	The submitted file was not saved in ASCII(DOS) text, as required by the Sequence Rules. Please ensure your subsequent submission is saved in ASCII text.
5Variable Length	Sequence(s) contain n's or Xaa's representing more than one residue. Per Sequence Rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220>-<223> section that some may be missing.
6PatentIn 2.0 "bug"	A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid sequences(s) Normally, PatentIn would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies to the mandatory <220>-<223> sections for Artificial or Unknown sequences.
7Skipped Sequences (OLD RULES)	Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence:  (2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown)  (i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading)  (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown)  This sequence is intentionally skipped
	Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to include the skipped sequences.
8Skipped Sequences (NEW RULES)	Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence. <210> sequence id number <400> sequence id number 000
9Use of n's or Xaa's (NEW RULES)	Use of n's and/or Xaa's have been detected in the Sequence Listing.  Per 1.823 of Sequence Rules, use of <220>-<223> is MANDATORY if n's or Xaa's are present.  In <220> to <223> section, please explain location of n or Xna, and which residue n or Xaa represents.
10 Invalid <213> Response	Per 1.823 of Sequence Rules, the only valid <213> responses are: Unknown, Artificial Sequence, or scientific name (Genus/species). <220>-<223> section is required when <213> response is Unknown or is Artificial Sequence
11Use of <220>	Sequence(s) missing the <220> "Feature" and associated numeric identifiers and responses. Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section. (See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules)
12PatentIn 2.0 "bug"	Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.
13Misuse of n/Xaa	"n" can only represent a single nucleotide; "Xaa" can only represent a single amino acid

AMC - Biotechnology Systems Branch - 09/09/2003



PCT

```
RAW SEQUENCE LISTING
                                                             DATE: 01/13/2006
                     PATENT APPLICATION: US/10/516,361A
                                                              TIME: 10:50:50
                                                                 see item 4 on Steet
                     Input Set : A:\pto.da.txt
                     Output Set: N:\CRF4\01132006\J516361A.raw
      2 <110> APPLICANT: Islam Amirul
              Hazra Papia
      5 <120> TITLE OF INVENTION: An improved method of detection of target nucleic acid
sequence by
              nucleic acid amplification
      8 <130> FILE REFERENCE: 3875.033
     10 <140> CURRENT APPLICATION NUMBER: US 10/516,361A
C--> 11 <141> CURRENT FILING DATE: 2004-11-30
     13 <150> PRIOR APPLICATION NUMBER: PCT/IN 03/00204
                                                           use this format for dates
W--> 14 <151> PRIOR FILING DATE: (2003.05.30) 2003-05-30
     16 <150> PRIOR APPLICATION NUMBER: 487/MUM/2002 (IN)
W--> 17 <151> PRIOR FILING DATE: (2002.05.31) 2002-05-31
     19 <160> NUMBER OF SEQ ID NOS: 31
     21 <210> SEQ ID NO: 1 (see item 10 on Euro Summary Does Not Comply Corrected Diskette Needed
ERRORED SEQUENCES
     23 <212> TYPE: DNA
E--> 24 <213> ORGANISM: Artificial / Unknown Sequence
     26 <220> FEATURE:
     27 <221> NAME/KEY: primer bind
     28 <222> LOCATION:
     29 <223> OTHER INFORMATION: Forward PCR primer for amplification of a target
              sequence chosen arbitrarily and made from sequence
     30
     31
              IDs 3 &4.
     33 <400> SEQUENCE: 1
     34 acttaagtta gagcgtttgc
     37 <210> SEQ ID NO: 2
     38 <211> LENGTH: 20
     39 <212> TYPE: DNA
E--> 40 <213> ORGANISM (Artificial / Unknown Sequence
     42 <220> FEATURE:
     43 <221> NAME/KEY: primer bind
     44 <222> LOCATION:
     45 <223> OTHER INFORMATION: Reverse PCR primer for amplification of a target
     46
              sequence chosen arbitrarily and made from sequence
              IDs 3 &4.
     49 <400> SEQUENCE: 2
     50 tggtagtatg tgatttagtc
                                       20
     53 <210> SEQ ID NO: 3
     54 <211> LENGTH: 40
     55 <212> TYPE: DNA
```

DATE: 01/13/2006

```
PATENT APPLICATION: US/10/516,361A
                                                                TIME: 10:50:50
                     Input Set : A:\pto.da.txt
                     Output Set: N:\CRF4\01132006\J516361A.raw
                       'Artificial / Unknown Sequence
E--> 56 <213> ORGANISM(
     58 <220> FEATURE:
     59 <221> NAME/KEY: misc_difference
                                                               Bases
     60 <222> LOCATION:
     61 <223> OTHER INFORMATION: Arbitrarily chosen sequence. (Base) 27 to 40 are
              complementary to basis 31 to 44 of sequence ID 4.
              DNA polymerase extention of annealed Sequence IDs 3
     63
                                                                          <del>J</del>extension
              & 4 results in the target sequence
     64
     66 <400> SEQUENCE: 3
     67 tacacttaag ttagagcgtt tgcgcccact acgacggttg
     71 <210> SEQ ID NO: 4
    72 <211> LENGTH: 44
     73 <212> TYPE: DNA
E--> 74 <213> ORGANISM: (Artificial / Unknown Sequence
     76 <220> FEATURE:
     77 <221> NAME/KEY: misc difference
                                                                Bases
     78 <222> LOCATION:
     79 <223> OTHER INFORMATION: Arbitrarily chosen sequence. (Base) 27 to 40 are
              complementary to basis 31 to 44 of sequence ID 4.
              DNA polymerase (extention) of annealed Sequence IDs 3
     82
              & 4 results in the target sequence
                                                                       44 (see item 1 on
Evon Summa
bleet)
     84 <400> SEQUENCE: 4
E--> 85 gtttttgtgg
                     tagtatgtga
                                   tttagtcatt
                                                caaccgtcgt
     86 44~
     89 <210> SEQ ID NO: 5
     90 <211> LENGTH: 20
     91 <212> TYPE: DNA
E--> 92 <213> ORGANISM (Artificial / Unknown Sequence
     94 <220> FEATURE:
     95 <221> NAME/KEY: primer bind
     96 <222> LOCATION:
     97 <223> OTHER INFORMATION: Forward PCR primer for amplification of a target
     98
              sequence chosen arbitrarily and made from sequence
     99
              IDs 3 &4. Base t at base position 18 from 5' end is having
     100
               fluorophore FAM
     102 <400> SEQUENCE: 5
     103 acttaagtta gagcgtttgc
                                         20
```

RAW SEQUENCE LISTING

su pr 3-5 for more enon

## VERIFICATION SUMMARY DATE: 01/13/2006 PATENT APPLICATION: US/10/516,361A TIME: 10:50:51

Input Set : A:\pto.da.txt

L:11 M:271 C: Current Filing Date differs, Replaced Current Filing Date

Output Set: N:\CRF4\01132006\J516361A.raw

```
L:14 M:256 W: Invalid Numeric Header Field, Wrong Prior FILING DATE:YYYY-MM-DD
L:17 M:256 W: Invalid Numeric Header Field, Wrong Prior FILING DATE:YYYY-MM-DD
L:24 M:251 E: Invalid Description for Numeric Identifier, <213> ORGANISM has both "Artificial"
and "Unknown" for SEQ ID#:1
L:40 M:251 E: Invalid Description for Numeric Identifier, <213> ORGANISM has both "Artificial"
and "Unknown" for SEQ ID#:2
L:56 M:251 E: Invalid Description for Numeric Identifier, <213> ORGANISM has both "Artificial"
and "Unknown" for SEQ ID#:3
L:74 M:251 E: Invalid Description for Numeric Identifier, <213> ORGANISM has both "Artificial"
and "Unknown" for SEQ ID#:4
L:85 M:254 E: No. of Bases conflict, LENGTH:Input:0 Counted:44 SEQ:4
L:92 M:251 E: Invalid Description for Numeric Identifier, <213> ORGANISM has both "Artificial"
and "Unknown" for SEQ ID#:5
L:112 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:6
L:125 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:7
L:141 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:8
L:155 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:9
L:169 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:10
L:183 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:11
L:197 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:12
L:211 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:13
L:225 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:14
L:239 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:15
L:253 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:16
L:267 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:17
L:281 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:18
L:295 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:19
L:309 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:20
L:325 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:21
L:341 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:22
L:356 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:23
L:371 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:24
L:386 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:25
L:401 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:26
L:416 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:27
L:431 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:28
L:446 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:29
L:461 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:30
L:475 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:31
L:483 M:334 W: (2) Invalid Amino Acid in Coding Region, NUMBER OF INVALID KEYS:1
L:485 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:31
L:485 M:334 W: (2) Invalid Amino Acid in Coding Region, NUMBER OF INVALID KEYS:14
L:486 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:31
L:486 M:334 W: (2) Invalid Amino Acid in Coding Region, NUMBER OF INVALID KEYS:5
```